


52194/B

L. XII. Aco



*Miss Prickett with the
Author's kind regards*

ON THE PREPARATION
AND
MEDICINAL EMPLOYMENT
OF
ACONITINE.

Printed by MANNING and SMITHSON, Ivy Lane, Paternoster-Row.

ON THE PREPARATION
AND
MEDICINAL EMPLOYMENT
OF
ACONITINE,

BY THE ENDERMIC METHOD,
IN THE TREATMENT OF TIC DOULOUREUX AND
OTHER PAINFUL AFFECTIONS.

BY
ALEXANDER TURNBULL, M.D.

LONDON:

LONGMAN, REES, ORME, BROWN, GREEN, AND LONGMAN ;
ADAM BLACK, EDINBURGH.

1834.



PREFACE.

THE object of the following pages is to bring before the notice of the Medical Profession a few facts relating to the History, Preparation, and Medicinal Employment of Aconitine, the active principle of the Aconites. Nearly a year ago, the investigation of this subject was entered upon, with that of two other bodies, Veratria and Delphinia, with a view to determine whether the action of the Aconitine in certain diseases was similar to that of these Alcaloids: for some time the most active preparations of Aconite that could be obtained were employed, but until the month of August last, it was found impossible to procure the active principle itself. At that period,

however, it is believed that the Aconitine was prepared for the first time in England, and its use was immediately resorted to in order to put the mode of action which theory had previously attributed to it to the test of experience. Some difficulty has arisen in obtaining a continued supply for use, and this circumstance has prevented a few of the cases in which it has been employed from being entirely satisfactory; in so far, however, as conclusions can be drawn from these, the Aconitine has fulfilled the anticipations that had been formed of its utility.

It was intended to have deferred giving any opinion upon the subject, or any account of the substance itself, until further opportunities for observing its action had occurred; but the curious properties possessed by the Alcaloid have of late become the topic of conversation amongst several Members of the Profession, and in the course of last week it was

hinted, that unless some communication were speedily made to the Profession regarding these, a notice would, in all probability, soon appear from another quarter, as its effects had been put to the test in one or two of the hospitals. In consequence of this, a hurried statement was drawn up, and sent to one of the weekly Journals; it was, however, not inserted, and in the 150th Number of the London Medical and Surgical Journal, published December 13th ult., were contained notices of five cases, in which the Aconitine ointment had been successfully employed by one of the physicians of St. Thomas's Hospital; two of these occurred in the wards of the establishment, and one of them is given in a detailed form.

The Report I have had reprinted at the conclusion of this Publication; it is a gratifying one, in so far as it gives evidence of the efficacy of the plan of

treatment now about to be described, but it cannot be denied that throughout the Report, any merit that may be attached to the discovery of the plan, is attributed to the gentleman under whose care the patients were placed. This mistake has without doubt arisen from the reporter, as he himself confesses, having been ignorant of the fact of the Aconitine having been employed externally by any one else, and that such has been the true cause of it will at once be seen by referring to the remarks made on the case itself.

It is this Report which has rendered it necessary to send forth the present publication. Although it may not contain all the information that might have been desired, it is hoped that it may not be entirely without interest. Three cases in which the Aconitine has been employed externally, have been given by way of illustration, and there are two reports, one from my friend Mr. Lyon, and the other is the one above alluded to.

It would have been desirable that a longer time had been allowed to elapse from the relief of the patients before the publication of these cases, but for the reason already assigned, their imperfection in this particular must be overlooked, and they must be considered simply as illustrations of the action of the medicine.

Russell Square, Dec. 15, 1834.

CONTENTS.

	PAGE
Introductory Remarks - - - - -	1
Processes for Preparing the Aconitine - -	9
External Application of Aconitine - - -	15
<hr/>	
----- of the Ammoniated Extract of Aconite—of the Tincture of Aconite— and of the Tinctures and Extracts of the <i>Veratrum Album</i> , <i>V. Sabadilla</i> , and <i>Delphi-</i> <i>nium Staphisagria</i> - - - - -	20
Illustrative Cases - - - - -	23
Mr. Lyon's Cases - - - - -	34
St. Thomas's Hospital Report - - -	41

ON THE
PREPARATION
AND
MEDICINAL EMPLOYMENT
OF
ACONITINE,
BY THE
ENDERMIC METHOD.

IN a work which I lately published on the medicinal employment of Veratria and Delphinia by the Endermic Method, it is stated that, in conjunction with Dr. Sutherland, I had entered upon a course of investigation with a view to determine whether other substances were not possessed of properties analogous to those exercised by Veratria on the animal economy; and that we had been led by the botanical relations and resemblance in medicinal action of a number of plants, to the conclusion that a class of active principles would be discovered in which such properties would be found to exist.

On account of many considerations, which it is unnecessary at present to mention, it appeared that the family of plants most likely to yield these substances, was the *Ranunculaceæ*, and accordingly our attention has been directed almost exclusively to it: but in many of the individuals comprehended under it, the principles upon which their activity depends, are either so volatile or so easily destructible, that it is a matter of extreme difficulty, if it be not an impossibility, to obtain them in a state fit for being made the subjects of investigation. Almost all the plants of this order are acrid and caustic, and many of them are so energetic in their operation as to be really poisonous; but what is not a little singular, the active properties in many—for instance, in nearly the whole tribe of *Ranunculuses*—are destroyed by drying, boiling, or even by simple infusion in water; whilst they are augmented by acids, honey, sugar, wine, alcohol, &c.* In others, however, there is strong reason to believe, that the active principles may be separated in a

* De Candolle —Essai sur les Propriétés Médicales des Plantes.

solid form, but hitherto chemistry has only furnished us with two of these; both of which, however, have fully borne out the anticipations that had been formed of their peculiar effects, and of their utility in the treatment of disease.

One of them, the Delphinia,—the active principle of the *Delphinium Staphisagria*, I have used for some time past; and its utility as a medicinal agent has been already stated in the work above alluded to: the other, the Aconitine, is hinted at in the same place, but only generally, as at the time there were considerable doubts entertained regarding the discovery of the substance. It is nearly a year ago since we first endeavoured to obtain it for use, upon the presumption of its possessing the action about to be described; but although repeated attempts have been made for the purpose, it is only a few months ago since we succeeded. It is to the Aconitine that I now wish to direct the attention of the profession; but before doing so, it may not be out of place to give a short outline of the facts at present known with regard to the plant or

plants which yield it, and the preparations of those at present in use.

The genus *Aconitum* has been divided by De Candolle into four sections,—*Anthora*, *Lycotomum*, *Cammarmum*, and *Napellus*. Several species have been introduced into medicine in different countries, and at various periods. An unknown species appears to have been used by Avicenna, the celebrated Arabian physician, in the treatment of skin diseases; but since his time, down to a comparatively recent period, no further notice seems to have been taken of it. The person who may be said to have introduced Aconite into practice, was Dr. Störk, and he recommended its employment in the form of inspissated juice, prepared from the fresh plant, in the treatment of Gout, Chronic Rheumatism, Amaurosis, Syphilis, &c.*

Considerable difference of opinion has prevailed as to the precise species made use of by Störk. He himself names two:—the *Aconitum Napellus* and *A. Neomontanum*. The

* Störk, Spicilegium Observationum de Aconito, 1788.

latter of these is the one determined by Willdenow; but De Candolle is of opinion that it is a variety of *A. Paniculatum*, to which he has given the name *Störkianum*, to distinguish it as the species employed by Störk. Besides these, however, the *A. Cammarum* and *A. Anthora* have found a place in several Continental Pharmacopœias.

Each of our Colleges has given a formula for the preparation of an inspissated juice from the fresh leaves of the monkshood; but in addition to this, the powder of the leaves, the wine, and an alcoholic and two ethereal tinctures, are made use of on the Continent; all of these are employed internally, but are very inconstant in their operation, as might easily have been anticipated from their manner of preparation; and this circumstance I shall presently notice. Very recently, M. Lombard, of Geneva, has recommended the use of an alcoholic extract of Aconite in the treatment of acute rheumatism, and has given a process for obtaining it. This, though a much less objectionable one than any of those above-mentioned, gives a product that is still

inconstant in its effects ; for he states that he has given with success from half a grain three times a-day, to a dram and a half in the twenty-four hours.* It appears to me that there are several causes why the preparations of Aconite at present in use are liable to inconstancy ; they are all prepared either from the fresh plant or from the expressed juice : in the first instance they must vary in power, according to the state of the plant, and the time when it is gathered ; and the extracts made by evaporating the expressed juice must also vary, as in the very act of expression, a change in the activity of the product appears to take place, and a still further alteration must ensue during the process of evaporation. I have myself tried several different extracts made in this way, and have found them almost inert. The process employed by M. Lombard consists in carefully evaporating the expressed juice of the plant, and treating the extract with alcohol ; then filtering and evaporating the tincture with a very gentle heat. In this way, the active matter contained in the inspissated juice may be pro-

* Gazette Médicale, Juin, 1834.

cured in a more concentrated form, but still the process is liable to some of the objections already stated.

Another objection to these preparations is, that they are all obtained from the least active part of the plant, for the root certainly contains a much greater proportion of the peculiar properties of the Aconite than any other part, and is consequently that which should be used. From these considerations, and from the difficulty of procuring the active principle, I was led to employ a tincture and alcoholic extract, prepared from the powder of the root carefully dried. The tincture is made by digesting one part by weight of the powder of the dried root in six parts by measure of strong alcohol, for seven days, and filtering through paper; and the dose for an adult ought not to be more than eight or ten drops three times a-day to commence with, but it may be augmented to twenty; beyond which, however, few patients will bear it to be carried. With regard to the extract, I have never exhibited it internally, but have employed it with great benefit in the manner I shall immediately mention.

When Aconite is administered internally, in any form, and in a small dose, it acts as a diuretic and diaphoretic, and accelerates the pulse: if it be pushed still further, it begins to affect the nervous system, and occasions headache, nausea, weakness of the joints and muscles, slight confusion of intellect, and a remarkable sensation of tingling in various parts of the body, particularly the head, face, and extremities. This latter circumstance was remarked by Dr. Duncan, jun., as always accompanying the relief afforded by the internal exhibition of extract of Aconite in cases of Sciatica.* If the dose be still augmented, aberration of mind, dimness of vision, and convulsive movements, come on. A few cases are on record, where such symptoms have shewn themselves when the Aconite had been swallowed accidentally; and they have, in some of these, been followed by fainting, vomiting, stupor, and death.

The diseases in which Aconite has been administered, are chiefly those already enumerated; and in addition I may mention,

* Edin. New Dispensatory, 1830.

that I have found much benefit from its employment in *tic douloureux*, and other painful nervous affections ; but from all I have seen of its internal use, it does not appear to me that the benefit to be derived from this method of exhibition, is at all to be compared with that which I have observed to arise from its administration by the Endermic Method, either as regards the amount of effect produced, or the perfect safety with which, in this latter mode, it may be used.

PROCESSES FOR PREPARING ACONITINE.

There are three forms in which I have employed the Aconite externally, namely, the active principle Aconitine ; impure Aconitine, as contained in the ammoniated extract ; and thirdly, in the form of tincture, or solution of the active principle in alcohol ; and of these I now propose to give a short account.

M. Peschier, of Geneva, appears to have been the first experimenter who detected the

presence of Aconitine, during a chemical examination of the *Aconitum Napellus* and *A. Paniculatum*: he describes it as a peculiar alkaline substance, capable of forming crystallizable salts with acids.* It appears again to have been detected by M. Brandes, in the *A. Neomontanum*; but no particulars regarding it are mentioned. In 1825, M. Pallas described the Aconitine as an alkaline substance, which he had obtained in scales of a yellowish colour.†

In the year 1832, M. Geiger, from the result of his physiological experiments with different Aconites, came to the conclusion, that the acrid Aconites contained a narcotic substance different from their acrid principle; and this opinion led M. Hesse to analyse the *Aconitum Napellus*; and from this he obtained a peculiar body, to which he has given the name Aconitina. The process for obtaining it consists in precipitating a decoction of the dried leaves by hydrated magnesia, washing the precipitate with water, drying it,

* Trommsdorff Neues Journal der Pharmacie, vol. 84.

† Journal de Chimie Médicale, tom. 1—193.

and then treating it with boiling alcohol, which dissolves the Aconitine and deposits it on cooling.*

It is described as being incrySTALLIZABLE, white and granular, or in a colourless mass, transparent, and having the lustre of glass. It is alkaline, inodorous, and has a bitter acrid taste. This acidity, however, does not belong to the Aconitine, but disappears if the base be several times combined with acids, and the salt formed decomposed. When deprived of this acrid principle, it is poisonous in the highest degree, a twelfth part of a grain being sufficient to destroy a little bird with the rapidity of lightning. Aconitine is very fusible : it is little soluble in water, but very much so in alcohol and ether. Its solutions are alkaline, and it neutralizes acids ; but its salts are not capable of being crystallized. Such is the account of the substance obtained by M. M. Geiger and Hesse ; but the elementary analysis has not yet been made.

* Journal de Chimie Médicale, Août, 1834.

We have made several attempts to obtain Aconitine from the Parisian chemists, for the purpose of employing it in medicine, but have never hitherto succeeded. It is now, however, prepared in town, and may be had in sufficient quantity for present use, by those practitioners who may wish to make trial of its properties.* We have contrived several processes for obtaining it, two of which shall now be given : the first is the easier to manipulate, but the second yields a much purer result.

A quantity of the fresh root of the *Aconitum Napellus* must be procured, and care should be taken that it be sound, and that the root be that of monkshood ; for sometimes other roots are sold for it. Let it be carefully and cautiously dried, and then reduced to powder ; this latter operation is not unattended by danger, especially if a part of the fine dust which rises from it be inhaled. One part by weight of the powder, and two parts by measure of strong alcohol, are to be digested

* Aconitine is at present prepared by Mr. Morson, chemist, Southampton Row.

together in a gentle heat for seven days, and the tincture, while warm, is to be filtered. It is then to be reduced to the consistence of an extract, by careful evaporation, at a low and well-regulated temperature; the object of this, is to prevent the destruction or expulsion of the active principle, which would very probably ensue, if the temperature employed were higher than barely sufficient to carry off the alcohol. To the extract thus prepared, liquid ammonia is to be added, drop by drop, and mixed well with it, to precipitate the alcaloid; and in this part of the process, care must be taken that too much be not added, as in some instances the product appears to have been decomposed by inattention to this circumstance. It is difficult to give a precise rule as to the quantity; but enough will have been added, if the extract give out the odour of ammonia, when stirred.

The mass now consists of impure Aconitine, mixed up with a quantity of extractive and other matters, soluble in water; and it may be taken up either with boiling

alcohol, or sulphuric ether ; or the soluble matter may be removed, by repeated washings with small quantities of cold water, which will leave the Aconitine. This latter process, is the one we have generally employed, and is performed by pouring a little water on the extract, and mixing them carefully together, then allowing the undissolved part to subside, pouring off the fluid, and repeating the operation, as long as any soluble matter is taken up, a quantity of light brown or gray powder is left, which may be purified by subsequent solution in alcohol. This powder contains the active properties of the Aconite, in a high degree of concentration. A grain of it was dissolved in a dram of alcohol ; and twenty drops of the solution put into the mouth of a guinea-pig, occasioned death in a few minutes. Other experiments have been performed ; all of which prove the extreme energy of the substance.

The second process consists in dissolving the alcoholic extract, prepared as before, without the addition of the ammonia, in as much cold water as will take it up, and

carefully decanting the solution from the insoluble part, and then filtering it. To the filtered solution, liquid ammonia is to be added, drop by drop, as long as it occasions any precipitation. When the precipitate has subsided, the supernatant fluid should be carefully poured away, or drawn off by means of a syphon; and after the precipitate has been deprived of as much of the fluid as possible, it should be purified by a sufficient number of washings with small quantities of cold water, and then carefully dried. The product obtained by this process is white.

EXTERNAL APPLICATION OF ACONITINE.

Before stating the medical properties of the Aconitine, something ought to have been said of its chemical history; but as it is only a short time since the alcaloid has been obtained, this is necessarily too imperfect for publication; it may perhaps be done at some future time, if the subject be not taken up by abler hands. I less regret, however, the

absence of these details, as my object has been not so much to follow out the chemical considerations as the utility of the substance in the removal of disease.

I have elsewhere stated, that if a grain or two of Veratria or Delphinia be mixed up with a little lard, or dissolved in a dram of alcohol, and a small quantity be rubbed upon the skin of the forehead or other tender part, a sensation of heat and tingling will be experienced, after the friction has been continued for a minute or two. If the same procedure be followed with the Aconitine, a similar result will be obtained. The sensations produced by the three substances differ, however, in a few particulars. When Veratria is employed, it produces a strong sensation of tingling, or rather a sharp feeling, similar to that produced by receiving a succession of electric sparks on an uncovered part of the body; whilst the Delphinia gives rise to a sensation of burning, not unlike that which manifests itself a short time after the application of a blister, but not to an unpleasant degree.

The Aconitine is possessed of an action similar, in some respects at least, to that of Delphinia. When a small quantity of it, either made into an ointment, or dissolved in alcohol, is rubbed for a minute or two upon the skin, a sensation of heat and prickling is experienced; to this, succeeds a feeling of numbness and constriction in the part, as if a heavy weight were laid upon it, or as if the skin were drawn together, by the powerful and involuntary contraction of the muscles beneath. This effect lasts from two or three, to twelve, or more hours, according to the quantity rubbed in. So small a portion as the one-hundredth part of a grain, has produced a sensation that has continued a whole day; but the alcaloid, in this instance, was in a high degree of purity.

The action of the Aconitine upon the cutaneous vessels, appears to be less than that of either Veratria or Delphinia; for in no case hitherto observed, has it produced a greater degree of vascular excitement than might easily be accounted for by the friction itself; and in one instance where the Veratria

ointment did occasion irritation, the Aconitine has been employed without giving rise to any.

The diseases in which I have chiefly employed the Aconitine externally, are Tic Dououreux and Neuralgic affections generally, and in gouty and rheumatic cases; and its success has fully answered the anticipations that had been formed of its utility. I have employed it in the form of solution in alcohol, in the proportion of one or more grains to the dram, and in ointment, made according to the following prescription :—

R. Aconitinæ, gr. ii.
 Alcohol, gtt. vi. tere optime
 et adde, Axung, 3 i. ut fiat unguent.

The object of adding the alcohol, is to prevent the Aconitine from forming a thick compound with part of the lard, which renders it difficult to make a proper ointment.

The proportion of the alcaloid in this prescription will, in general, be sufficient to

begin with, but it may be augmented to four or five grains to the dram, if necessary ; and in one case of *Tic Douloureux* of unusual severity, I prescribed as much as eight grains to the dram, with the most marked benefit. The best manner of applying the ointment, is simply to rub a small part of it over the whole seat of the affection, till the pain be either for the time removed, or until the full effect upon the cutaneous nerves above described be brought about; and the friction should be repeated three or four times, or more frequently in the day, according to the effect produced upon the disease. The proportion of the Aconitine ought to be increased at every second or third friction; and the same rule elsewhere laid down, in regard to the action of *Veratria* and *Delphinia*, also holds good in the present instance,—namely, that unless the friction occasion a full development of the peculiar impressions caused by the Aconitine when rubbed on the skin, no benefit whatever is to be looked for from its employment. It is almost needless to remark, that an application of such activity should not be resorted to, if there be the slightest abrasion

of the surface of the skin, and that it should be carefully kept from coming in contact with any of the mucous membranes.

EXTERNAL APPLICATION OF THE AMMONIATED
EXTRACT OF ACONITE, &c.

The next preparation that requires notice, is the Ammoniated extract of Aconite ; this is probably the best appellation for the substance, although it be in reality a mixture of all the active principles, along with extractive and other matters. It is made by evaporating very carefully, and at a low temperature, the tincture of the dried root of the plant, prepared as already directed in the process for obtaining the Aconitine, to the consistence of an extract. To every dram of this, eight or ten drops of liquor ammoniæ should be added ; and after the mixture has stood a short time in a very gentle heat, to drive off the excess of ammonia, it is to be used in the form of ointment, according to the following prescription.

R. Extract, Aconit. Ammon. 3 i.
 Axung. 3 iii. M. ut fiat unguent.

This, from its dark colour, may be a less agreeable application than the Aconitine ointment; but it appears to me, to be at least as efficacious, and it has the advantage of being easily and cheaply prepared: and on these accounts, it is better suited for hospital practice. The proportion of the extract may be increased two or three fold according to circumstances.

When this ointment is rubbed upon the skin, it occasions sensations in the part, similar to those which are produced by the Aconitine ointment; they are, however, rather more pungent in their character; and this probably arises from the extract containing, what is called the acrid principle of the plant, as well as the alcaloid itself; and it is absolutely necessary that with this preparation also, these sensations should be induced, in order to its having a full effect on the disease for which it is applied.

In less severe cases, the simple saturated tincture of the dried root, with or without the addition of a little ammonia may be used; it has similar properties, but in a much

smaller degree of development, with the two preparations above mentioned, and the same instructions as to its use, ought to be attended to.

Connected with the use of these preparations is that of the extracts and tinctures of the *Veratrum Album*, *V. Sabadilla*, and *Delphinium Staphisagria*. These I have had made according to the formulæ already given, and have used several of them in different affections; but they appear to have a tendency in some instances, to produce eruptions in the parts where they are rubbed, along with the tingling sensations peculiar to the plants, from which they are prepared. The tinctures of *Delphinium Staphisagria* and *Veratrum Sabadilla*, are made from the seeds, and that of the *Veratrum Album*, from the dried root. In all cases, therefore, where a certain degree of irritation of the skin would be of service, along with the specific effects of the applications, they may be resorted to; and with these intentions I have employed them in paralytic cases, and in old standing rheumatic affections of the joints with some advantage.

CASES

IN WHICH THE ACONITINE OINTMENT HAS BEEN
EMPLOYED.

I ought here to have introduced a few examples, in which the Aconitine ointment has been employed ; but from the circumstances mentioned in the introduction, they must necessarily be little more than mere illustrative notices.

It is not an uncommon thing for some persons to object to cases which have not the names and residences of the patients affixed to them. In this instance, however, I shall suppress both, as the publication of either might be objected to by the parties. I intend simply to give the cases on my own authority ; and shall be ready to afford any information, in my power, on this subject, as well as in regard to the use of the Aconitine, to those professional gentlemen who may apply to me, personally, concerning it.

The first case in which the Aconitine was employed externally, occurred in the month

of August last : it was that of a personal friend who had suffered severely from Tic Douloureux, seated in the portio dura ; and the first few grains of the alcaloid that were obtained were tried for his relief. One grain was mixed up with a dram of lard, and a portion of the ointment was rubbed over the seat of the pain, during a paroxysm. In about five minutes it was completely subdued, and for a whole week afterwards it never recurred ; he rubbed with the ointment during the intervals and when the attack again came on it was impossible to obtain a fresh supply of the alcaloid, and the patient was obliged to make use of the tincture of Aconite. This application succeeded for some time in giving relief ; but the pain recurred from time to time, and it was found impossible to procure any more Aconitine ointment until about two months ago, when he got some for use, but was obliged to go to a distance from town immediately, and I have not heard of him since.

The disease in this case originally occupied the three branches of the fifth pair, as well as the portio dura, and in its previous treatment,

frictions with the ointments of Veratria and Delphinia, had been used. After considerable perseverance they had succeeded in removing the pain from the whole side of the face, except in one point immediately anterior to the ear, from which, however, both applications failed in removing it, and the Aconitine ointment was the first preparation that had any effect upon it. Neither of them was again applied, after we had failed in procuring a fresh supply of Aconitine; but subsequent experience has proved that they invariably, when used after it, augment the sufferings of the patients to an extreme degree, and I would therefore give this as a caution to those practitioners who may employ the medicine.

About the same time that the above case was treated, several others came under my care. In some of these it cannot be said that the Aconitine had a fair trial, as I was compelled to relinquish its use from the difficulty that occurred in obtaining it. This circumstance I have thought it necessary to mention, to show that I not only used all that could be prepared, but could have employed much more.

The next case I shall mention, is that of a young lady, who applied to me on the 14th of last month, on account of a painful neuralgic affection of the left ancle. Two years and a half ago she received a slight injury immediately above the internal malleolus. To this succeeded tenderness in the part, which went on increasing until she was unable to use the joint without considerable pain. She was treated by active local antiphlogistic means. The ancle was leeches and blistered repeatedly, and this plan was followed out at intervals, without any marked benefit, until last January, when it was discontinued, and another substituted in its stead. The plan of treatment alluded to, was the one since recommended by Mr. Scott, and consisted in the continued application of mercurial ointment and tartrate of antimony to the affected part : it was kept up for about six months, at which time she went to sea-bathing quarters from the debilitated state of her health. She was then obliged to support herself in walking, by means of crutches ; and, by the advice of the medical gentleman who was called in, the treatment was given up, and the original

antiphlogistic means, along with soothing applications, were substituted. These, along with the change of climate, succeeded in recruiting her health, so as to enable her to walk without support, but still with considerable pain.

In this condition she came under my care at the above-mentioned date. I found the ankle joint, to all appearance, perfectly sound; the patient seemed in excellent health and without any constitutional taint, and, indeed, her only complaint was the occurrence of pain upon any attempts at motion in the affected joint. As this appeared simply a case of neuralgia, the patient was ordered to rub over the seat of the affection the following ointment:—

R. Aconitinæ, gr. ij.
 Alcohol, gtt. vj. tere optime.
Et adde Axung, 3 i. M. ut fiat unguent.

The friction was directed to be continued twice a day, for fifteen minutes each time, and oftener if the pain returned.

17th. After the friction was applied on the first day, the pain disappeared, and she could

walk without inconvenience ; the application was ordered to be continued as before. She has ever since been able to take exercise on foot, freely ; and to-day (the 15th December) is perfectly well, and has been so from the first application of the ointment.

The following is the only other case which I shall mention at present. It is an instructive one, as illustrating the effects of the different preparations of Aconite.

18th November, 1834.—Major M. about sixty years of age, has suffered from Tic Douloureux for five years. He states, that seven years ago, whilst breaking a piece of hard biscuit, he fractured the canine tooth on the left side : from this accident no immediate bad consequence resulted ; but about five years ago he felt slight twinges of pain in the situation of the infra orbitary foramen of the same side ; these continued, though not in severity, until one night, when he was awakened out of sleep by a violent stabbing sensation in the part. The pain now became almost insupportable, and recurred, night and

day, every few minutes, so that the patient was reduced to a state of much suffering.

The first remedy that was tried was the extraction of the old stump, which was supposed to be the cause of the mischief, and it, along with five or six decayed teeth in its vicinity, was removed at once, but without affording the slightest relief. He next tried the effects of sedative remedies, such as opium, hemlock, belladonna, both internally and in the form of plasters over the seat of the pain, which had now extended itself over the side of the nose and forehead of the same side; still no relief was experienced, and the same want of success attended the use of the Extract of Stramonium. Various lotions were likewise applied, one of which produced vesication; but these also failed in effecting a beneficial change.

Under the idea that the disease was of a remitting nature, the patient was next treated by preparations of bark; carbonate of iron was used in very large doses; but neither diminished the patient's sufferings. He was next salivated; but this treatment rather

aggravated the disease ; and about two years ago he gave up all medicine, and trusted to the effects of time, and attention to his general health. The pain was somewhat mitigated by the regimen adopted, until he received a violent blow on the back part of the head, from a fall ; but since then his sufferings have been very acute. He now complains of violent shooting pains in the course of the infra orbital and supra orbital nerves, which continue almost without intermission night and day, and which are augmented to a great degree by attempts at mastication, and by shaving the upper lip. He was ordered to rub over the whole seat of the disease the following ointment, and to continue the friction for ten minutes, or until the pain had disappeared.

R. Aconitinæ, gr. iv.
 Alcohol, q. s. ad solv.
 Axung, 3 iv. M. ft. unguent.

This prescription was made use of about 3 o'clock, p. m., and I saw him again about 7. I found he had taken his dinner without experiencing the least uneasiness, a thing he

had not done for years, and that he had had no pain since the friction was made. The operation had occasioned a sensation of heat and drawing over the affected part; and to prevent a return, I ordered a small quantity to be rubbed inside the mouth, over the gum of the upper jaw of the affected side, and to be washed off immediately, which was done.

19th. Has rubbed the ointment last night and this morning, but has no threatening, as yet, of a return. Was ordered to continue the frictions twice a-day, or oftener, if the pain came on. This relief continued altogether above five days, during which time the patient walked about, and exposed himself to the air without experiencing any uneasiness.

26th. Yesterday he was ordered to make use of an ointment containing two grains of Aconitine to a dram of lard, and to rub it inside and out, as before. The alcaloid made use of in this prescription did not produce the usual sensations of prickling and numbness, but occasioned at first some degree

of uneasiness in the seat of the old stump. This gradually increased, till it amounted to pain, and to-day he is suffering severely. On account of the apparent inactivity of the ointment, he was ordered to take five drops of the Tincture of Aconite, internally, every three hours.

29th. The tincture has been used as directed, and has produced its full effects upon the patient. He feels weak and confused, and experiences a sensation of tingling in the head and extremities, but the pain is not at all abated. It was now determined upon to allow the effects of the previous treatment to subside by a few days' rest, previous to making use of such a preparation as would make a decided impression upon the disease.

Dec. 2nd. Since the last report the pain has continued unabated, and he appeared, when visited, to be in a state of considerable suffering. The following ointment was immediately rubbed over the seat of the pain, which now occupied the whole side of the face.

R.	Extract. Aconit. Ammoniat.	3 i.
	Adipis	3 ij.
	M. ft. ung.	

In about ten minutes after the commencement of the friction, the pain was gone, and the patient began to experience a slight degree of tingling where the ointment had been rubbed. The friction, however, was persevered in for half an hour, and during the continuance of it, a most acute pain came on in the eyebrow of the affected side. It was of such intensity that the patient declared all his previous sufferings inferior to it. It, however, lasted only two or three seconds, and since that occurrence he has had no return of the complaint, except a very slight feeling of uneasiness, which shewed itself in the gum. The object of continuing the friction so long as half an hour, was to induce the sensation of tingling to as great an extent as the patient could bear it; and the application was ordered to be repeated in the same manner whenever this subsided, the object being to keep up a continued impression upon the nerves of the part. He has made use of the above prescription with the exception of the proportion of the extract, having been increased from time to time to keep up the tingling. A day or two ago he was ordered an ointment containing

8 grains of white Aconitine to a dram of lard, which he was directed to apply two or three times a day, and he left town this morning (Dec. 15th) perfectly well.

Besides these cases, I have employed the Aconitine in many others with various degrees of success; but from the circumstances under which this publication has been called forth, it will be impossible for me to insert a greater number. This is, however, less to be regretted, as I can with confidence refer to the report furnished me by my friend Mr. Lyon, and also to those cases which have occurred in Dr. Roots' practice, and these I shall now give.

MR. LYON'S CASES.

*"25, Montague Street, Russell Square,
December 15, 1834.*

"DEAR SIR,

"In reply to your communication, I beg to forward you a short notice of the cases you referred to. The first of these I do not consider a fair one, on account of the complicated disease under which the patient laboured, but

it will still, I hope, be sufficient, along with the others, to shew the utility of the plan you recommended, and to prove its efficacy in the treatment of a very painful class of affections. On the third of October last, I was called to a lady aged sixty-three, who was labouring under Tic Douloureux of the face. I found in addition to this, that she had been affected for the last twelve months with pulmonary disease, having cough and expectoration of a mucopurulent matter, sometimes amounting to a gill a day.

“The disease in the lungs was evidently most extensive in its nature. It was not on this account that I was consulted, but for the affection of the face. With this she had been troubled for four years, and for the last two she had been confined to her bed from the severity of the pain. She complains of pain in the left half of the tongue, in the gums, and inside of the cheek of the same side, and in the whole of the left side of the face, particularly about the chin, where the inferior maxillary nerve issues; sometimes it extends as far as the left ear and eyebrow.

The pain is so violent as to cause her to shed tears, and at times to shout so loudly as to be heard in the street. It comes on in paroxysms, and occasionally she has them every five minutes. There is a great flow of saliva. She has had four teeth extracted, and has taken a good deal of medicine without deriving any benefit. The bowels are irregular in their action, but the appetite is tolerably good. I saw her in some of the paroxysms, and it was a truly pitiable sight to see her suffering so intensely as she evidently did. For the last two years she had not had a respite from pain for more than two or three hours at a time.

“I consulted you about this case, and although you agreed in considering it of an unpromising nature, you prescribed frictions with the Tincture of Aconite over the seat of the pain, as the Aconitine could not at the time be obtained in sufficient quantity for continued use.

“I accordingly commenced with applying a saturated Tincture of Aconite (which had been prepared by digesting the dried root of the *Aco-*

nitum Napellus in an equal weight of rectified spirit of wine) to the tongue, gums, and inside of the cheek, and also to the whole of the left side of the face. The friction produced a tingling sensation in all the parts where it had been applied, with decided remission of the pain, and she was ordered to repeat the friction whenever the pain returned, until the tingling was induced, and to take five drops of the tincture of the same strength in water every three hours.

“4th. Has taken fifteen drops of the tincture. Had a very good night, and is nearly free from pain. Continue the internal and external treatment.

“5th. Has taken twenty drops. Passed a good night, having slept six hours. Complains of pain in the tongue. Continue the same treatment.

“6th. Passed a bad night from pain in the tongue and gums, but has no pain in the cheek. Has had tingling in the fingers and feet. Continue the internal and external treatment.

“ 7th. Had a good night. No pain the whole of yesterday. Continue the same treatment.

“ 8th. Had a good night. No pain until this morning, when she felt a little in the tongue. Same treatment.

“ 9th. No pain. To take four drops three times a day, and to continue the external treatment.

“ 10th. No pain. Slept well. Continue.

“ 12th. No pain. To take four drops twice a day, and to continue the external treatment.

“ 14th. Pain in the lip returned yesterday, and continued ten minutes. Occasionally has small twinges in the tongue. Continue the external and internal treatment.

“ 15th. Pain in the lip returned severely at three this morning. She applied the tincture, when it ceased. Pain in the tongue returned very severely at nine, A.M. but was removed

by the friction. To discontinue the internal use of the tincture, but to continue the frictions.

“ 18th. No pain for the last twenty-four hours. Slept well.

“ From this time the pain appeared to be nearly subdued, and had the Aconitine itself been applied, I feel no doubt from what I have since seen of its action, that she would have been completely cured of the neuralgic affection in a very few days from the commencement of the treatment. For whole days she was entirely free from pain, and she was directed to rub a little of the tincture, should an attack come on. The pulmonary symptoms, however, gradually increased in severity, and at last she sank under them.

“ During the progress of the preceding case, another presented itself to me of the utmost severity ; and I felt so satisfied with the effects of the Aconite in the foregoing instance, that I determined to make trial of it. Before doing so, however, I consulted you about it, and by your advice the saturated tincture was em-

ployed externally, and with most decided benefit even on the first application; but as the strength of the tincture could not be augmented to meet the severity of the case, the Aconitine was resorted to. On the 12th of November, the Aconitine was applied externally, in the proportion of two grains to the dram of lard, and was gradually increased to five grains to the dram. In a very few days the disease gave way, and the patient, I am happy to say, has been for three weeks completely free from pain. The further particulars of this case I have not given you, as the length of time which has intervened is too short to allow me to state, in a case of such severity, that the patient has been completely cured.

“In addition to the two preceding cases in which I have used the Aconite, I beg to state, that I have now under my care a case of acute rheumatism, in which I am applying the Ammoniated Extract of Aconite externally; and which, so far as it has gone, promises well.

“ I am, dear Sir, your's truly,

“ To Dr. Turnbull.”

“ I, LYON.

ST. THOMAS'S HOSPITAL REPORT.

(From the *London Medical and Surgical Journal*, of
Saturday, December 13, 1834.)

The writer of this report, after stating that he had never heard of Aconite having been used externally, proceeds as follows :

“ Of late years, the active principle of this (the *Aconitum Napellus*), as of many other plants, has been supposed to reside in an alkaloid. Dr. Roots has taken advantage of the discovery of the alkaloid Aconita, and thus has not only been able to apply the remedy in a concentrated form, but has avoided the disappointment which may arise from the uncertain strength of the leaves or extract. The following case will shew the value of this remedy as an external application :

“ Mary Ann Huntingford, a servant, æt. 28, was admitted into St. Thomas's Hospital, under the care of Dr. Roots, April 3rd, 1834. She then stated that she had been subject to

paroxysms of pain in the loins, thighs, and legs, for more than two years, which had gradually increased. She had been in the hospital, under Dr. Elliotson, in January last, by whom she was at first freely depleted; after which the disease assumed an intermittent form, and she then took large doses of quinine, and was slightly relieved by it, but left the hospital before she was well, and soon became worse.

“ At the time of her second admission, her general health was not impaired. She was subject to paroxysms of pain, generally two every day, in the loins, hips, thighs, and legs, following the course of the sciatic nerve. The pain was of a severe, cutting kind, and attended by some twitching of the muscles. There was tenderness on pressure of the lumbar vertebræ, and along the whole course of the sciatic nerve. The paroxysms of pain came on and ceased suddenly, and without any warning: they did not observe any regular intervals, and were of variable duration, often continuing for several hours; and in the intervals she was seldom free from uneasi-

ness. Has no symptoms of hysteria; menstruation regular.

“ Quinæ sulph. gr. v.

Ferri sub-carb. ʒ ij.—6 ta. quaque horâ.

Empl. canth. sacro.

“ April 9th. No change.

“ Ferri. carb. ʒ iij. extr. stramonii. gr.ss. 6 tis horis.

“ On the 12th, the paroxysms were of rather shorter duration, but returned as frequently, and were quite as severe as ever. The quinine was increased to gr viij, and the iron to ʒ iv. in each dose. On the 14th she had no pain, and only a little on the evening of the 16th. Quinine increased to gr x in each dose. The intermittent character of the pain continued to the 30th, and the paroxysms had gradually become less severe and of shorter duration. The stramonium was omitted on this day, as the sight had become affected by it.

“ May 3rd. The improvement had continued, and the quinine was increased to gr xv. From the 9th to the 24th, she suffered from head-

ache and sickness; but the medicine was continued, and the pain abated. On the 24th, the iron was increased to ʒvi; and on the 28th, gr $\frac{1}{6}$ of muriate of morphia was ordered with each dose.

“June 11th. The pain still better and intermitting; but, in consequence of continued headache and sickness, all the medicines were omitted.

“Ung. veratri (ʒ i. ad. ʒ i. ?) ʒ i. ter. die. lumbis.

“On the 14th, the pain had become more severe, and the quinine, carbonate of iron, and muriate of morphia, were gradually resumed, and increased up to August 23rd; at which time she was taking

“Quinæ sulph. ʒ i.

Ferri subcarb. ʒ i.

Morphiæ muriat. gr. $\frac{1}{3}$, 6 tis horis.

“These medicines were omitted for four days, during which she took some creosote; but the pains returned immediately after the medicine was changed, and continued to increase. The old medicines were resumed, and she quickly

improved, as before. She left the hospital on the 22d of September, of her own accord; the pain had diminished much in severity,—returned much less frequently, and not at any regular intervals. The pain soon increased, but never attained its original severity. She was again admitted into the hospital under Dr. Roots, Nov. 21st. The pain was of the same character, and in the same situation as before; commencing in the loins, and afterwards affecting the gluteal muscles, and extending down the back part of the thighs to the hams and heels. The paroxysms usually came on about 7, p. m., and continued four or five hours. During the attack the muscles were firm and contracted. There was some tenderness of the gluteal muscles at all times. General health, good; pulse, 75,—feeble. On the 25th, the following ointment was ordered:—

“ Aconitæ, gr. ij.

Ung. cetacei. ʒ i. ft. ung. et infricet pars sexta part.
dolent. nocte maneq.

“ On the 28th, she stated that after each application of the ointment, the parts rubbed

became hot, and smarted ; but this was quickly followed by numbness. After the third application, the pain was a little relieved ; and after the fifth, the amendment was very remarkable. The paroxysms were much diminished in severity, and did not continue more than one or two hours. The pain, which had formerly been very acute, she described as being much less severe, and called it a “ burning twitching.” The parts were less tender on pressure, and she could sit up without causing pain in the gluteal muscles, which she could not do three days since.

“ Infricet. unguent ter die.

“ Dec. 2d. Two days since, in the morning, she had a more violent paroxysm of pain than she has had since her admission. After it had continued an hour and a half, the ointment was applied, and in ten minutes she was much relieved. The paroxysms do not now last more than twenty minutes, and she says they have never been so slight before.

“ 6th. The pain has now resumed its inter-

mittent character. On the 3d, 5th, and 7th, she had a short and slight paroxysm in the evening; each being less severe than that preceding it.

“Quinæ. sulph. gr. v. 6 tis horis.

“9th. The pain returns every other night, but is gradually decreasing in duration and severity.

“There is a man in Luke's Ward, under Dr. Roots, who has a painful affection of the sciatic nerve, for which he used Veratrine ointment for some time without any benefit. He has used the Aconitine for a week, and a very decided mitigation of the pain followed its application.

“Dr. Roots informs me that he has used the same remedy in private practice, in three cases, with similar success.”

In the Report of the preceding case, it might be inferred that the discovery of the properties of the Aconitine, when applied externally,

was due to Dr. Roots ; but in justice to him, I must state that the Report was not drawn up by him, and that he has in the most handsome manner disclaimed all merit in the discovery.

In conclusion, these are the principal circumstances which occur to me at present, as worthy of mention in regard to the action of Aconitine. I have to regret the hurried manner in which this notice of it has been drawn up, but the facts which have been adduced appear to bear out the position advanced at the commencement—that there exists a class of active principles in the *Ranunculaceæ* possessed of similar properties when applied to the surface of the skin, and acting in a similar manner in the same diseases ; and if I succeed in calling the attention of the profession to them by what has been stated, my object in making this communication will have been answered.

Just Published, price 5s. boards, Second Edition,

AN INVESTIGATION
INTO THE
REMARKABLE MEDICINAL EFFECTS
RESULTING FROM THE
EXTERNAL APPLICATION OF VERATRIA.
BY A. TURNBULL, M.D.
WITH AN APPENDIX ON THE
EXTERNAL APPLICATION OF DELPHINIA,
AND ON THE
INTERNAL ADMINISTRATION OF THE SALTS OF
VERATRIA AND DELPHINIA.

“It is our decided opinion that Veratria is a useful and very potent medicine, in certain nervous affections, and that it deserves to be, and no doubt will become, an established member of the *Materia Medica*.”—*Dr. Johnson's Medico-Chirurgical Review*, July 1834.

LONDON:
LONGMAN, REES, ORME, BROWN, GREEN, AND
LONGMAN.



JANUARY, 1835.

VALUABLE STANDARD WORKS

PRINTED FOR

LONGMAN, REES, ORME, BROWN, GREEN,
AND LONGMAN,
London.

A DICTIONARY, PRACTICAL, THEORETICAL, AND HISTORICAL, OF COMMERCE AND COMMERCIAL NAVIGATION. By J. R. M'CULLOCH, Esq. A closely printed 8vo. volume of 1301 pages, with Maps and Plans. 2d edition, corrected throughout, and greatly enlarged. 2l. 10s. With a Supplement, brought down to October, 1834.

* * * The Supplement may be had separately, price 6d.

PRACTICAL TREATISE ON RAIL-ROADS, AND INTERIOR COMMUNICATION IN GENERAL; with the Performances of various Engines, numerous Experiments, Tables, &c. By N. WOOD, Engineer. 8vo. New Edit. Plates, 18s. bds.

JOHN HOPKINS'S NOTIONS ON POLITICAL ECONOMY. 12mo. By JANE MARCET, 4s. 6d. cloth;—a smaller edition, 1s. 6d.

"Admirably adapted, by plain straightforward sense, for the improvement of the labouring classes."—*Edinb. Rev.*

By the same Author,

CONVERSATIONS ON CHEMISTRY; with a Conversation on the Steam Engine. 2 vols. 12mo., with Plates. 12th Edit., 14s. bds.

CONVERSATIONS ON POLITICAL ECONOMY. 12mo., 6th Edit. 9s. bds.

CONVERSATIONS ON NATURAL PHILOSOPHY. 12mo. 7th Edit. with 22 Engravings, 10s. 6d. bds.

CONVERSATIONS ON VEGETABLE PHYSIOLOGY; comprehending the Elements of Botany, with their Application to Agriculture. 2 vols. 12mo., Plates, 2d Edit. 12s.

FAMILY SHAKSPEARE; in which nothing is added to the Original Text; but those Words and Expressions are omitted, which cannot with propriety be read aloud in a Family. By T. BOWDLER, Esq. F.R.S. New Edition. In 1 large vol. 8vo. with 36 Illustrations after Smirke, Howard, &c. 30s. in cloth; or, with gilt edges, 31s. 6d.

The same work, without Illustrations, in 8 vols. 8vo. 4l. 14s. 6d. bds.

By the same Editor,

GIBBON'S ROMAN EMPIRE; for the Use of Families and Young Persons. With the careful Omission of all the objectionable Passages. 5 vols. 8vo. 3l. 3s. bds.

SELECT WORKS OF THE BRITISH POETS, FROM CHAUCER TO JONSON. By ROBERT SOUTHEY, LL. D. 8vo., uniform with "Aikin's Poets." 30s. in cloth; or, with gilt edges, 31s. 6d.

SELECT WORKS OF THE BRITISH POETS, with Biographical and Critical Prefaces. By DR. AIKIN. 10 vols. post 18mo. 2l.; royal 18mo., to match the British Essayists and Novelists, 3l.; and complete, in 1 vol. 8vo., for Schools, &c. 18s. in cloth; or, with gilt edges, 20s.

LAYS FOR THE DEAD. By AMELIA OPIE. Foolscap 8vo. with Frontispiece 5s.

"A beautiful little volume."—*New Monthly Mag.*

ORIENTAL CUSTOMS; applied to the Illustration of the Sacred Scriptures. By the Rev. SAMUEL BURDER, A.M. 12mo. 8s. 6d. bds.

HISTORY AND BIOGRAPHY.

ARCHDEACON COXE'S HISTORICAL AND BIOGRAPHICAL WORKS.

MEMOIRS OF THE ADMINISTRATION OF THE RIGHT HON. HENRY PELHAM, collected from the Family Papers, and other Authentic Documents. By the Rev. W. COXE, M.A. F.R.S. F.S.A. Arch-deacon of Wilts. In 2 vols. 4to. with Portraits, 5l. 5s.

A few Copies are printed on large paper, uniform with the Author's preceding Works, price 10l. 10s. bds.

MEMOIRS OF JOHN, DUKE OF MARLBOROUGH. In 6 vols. 8vo. with an Atlas, 5l. 5s.

MEMOIRS OF HORATIO LORD WALPOLE. 3d Edit. In 2 vols. 8vo. 1l. 6s.

MEMOIRS OF THE KINGS OF SPAIN OF THE HOUSE OF BOURBON, from the Accession of Philip the Fifth to the Death of Charles the Third, 1700—1788. 2d Edit. In 5 vols. 8vo. 3l. bds.

HISTORY OF THE HOUSE OF AUSTRIA, from the Foundation of the Monarchy, by Rodolph of Hapsburgh, to the Death of Leopold II. 1218 to 1792. 5 vols. 8vo. Price 3l. 13s. 6d. bds.

MR. SHARON TURNER'S HISTORY OF ENGLAND.

HISTORY OF ENGLAND, from the earliest Period to the Death of Elizabeth. By SHARON TURNER, F.A.S. R.A.S.L. In 12 vols. 8vo. Price 8l. 3s. bds.

Also may be had, by the same Author, separately,

HISTORY OF THE ANGLO-SAXONS, comprising the History of England from the earliest Period to the Norman Conquest. 5th Edit. 3 vols. 8vo. 2l. 5s. bds.

REIGNS OF EDWARD VI., MARY, AND ELIZABETH. 2d Edit. 2 vols., 8vo. 1l. 12s. bds.

HISTORY OF ENGLAND, DURING THE MIDDLE AGES; comprising the Reigns from William the Conqueror to the Accession of Henry VIII., 3d Edit. 5 vols. 8vo. Price 3l. boards.

HISTORY OF THE REIGN OF HENRY THE EIGHTH. 3d Edit. 2 vols. 8vo. 1l. 6s. boards.

SACRED HISTORY OF THE WORLD, philosophically considered, in a Series of Letters to a Son. By SHARON TURNER, F.S.A. Vol. II. 8vo. 14s. bds.

Also, the Fifth Edition of the First Volume, 8vo. 14s.

HISTORY OF THUCYDIDES; translated into English, with Annotations, &c. 3 vols. 8vo. with Maps, &c. 2l. 5s. By the Rev. S. T. BLOOMFIELD, D. D.

"A version as literal and as perspicuous as erudition and industry combined can render it."—*Eclectic Review*.

MEMOIRS OF THE COURT OF QUEEN ELIZABETH. By LUCY AIKIN. 2 vols. 8vo. with Portrait, 6th Edit. 25s. bds.

MEMOIRS OF THE COURT OF JAMES I. By LUCY AIKIN. 2 vols. 8vo. 3d Edit. 24s. bds.

MEMOIRS OF THE COURT AND CHARACTER OF CHARLES I. By LUCY AIKIN. 2 vols. 8vo. with Portrait, 2d edit. 28s. bds.

"Miss Aikin's present work, and her previous Memoirs of the Courts of Elizabeth and James, are very acceptable additions to our literature."

Edinburgh Review.

HISTORY AND BIOGRAPHY, CONTINUED.

HISTORY OF THE REVOLUTION in ENGLAND in 1688 : comprising a View of the reign of James II., from his Accession, to the Enterprize of the Prince of Orange. By the late Right Hon. Sir JAMES MACKINTOSH. Completed to the Settlement of the Crown, by the Editor. To which is prefixed, a Notice of the Life, Writings, and Speeches of Sir James Mackintosh. With a Portrait, engraved by C. Turner. 4to. 3l. 3s. in cloth.

ANNUAL BIOGRAPHY AND OBITUARY, for 1835, forming Vol. XIX.; containing Memoirs of Eminent Persons, who died in the year 1834, &c. &c. 8vo. 15s. boards.

Also, Vols. 1 to 18,—15s. each.

HISTORY OF ROMAN LITERATURE, from its Earliest Period to the end of the Augustan Age. By JOHN DUNLOP, Esq. 3 vols. 2l. 7s. 6d. bds.

MEMOIRS AND CORRESPONDENCE OF THE LATE SIR JAMES EDWARD SMITH, Pres. Linn. Soc., &c. Edited by LADY SMITH. 2 vols. 8vo., Portrait and Plates, 31s. 6d. bds.

MEMOIRS OF BARON CUVIER. By Mrs. R. LEE, formerly Mrs. T. ED. BOWDICH. 8vo. with Portrait, 12s.

HISTORY OF FICTION. By J. DUNLOP, Esq. 3 vols. post 8vo., 2l. 2s.

LIFE AND DEATH OF LORD EDWARD FITZGERALD. By T. MOORE, Esq. 2 vols. post 8vo. with a Portrait, 3d Edition, 21s. bd s.

LIFE OF FREDERIC THE GREAT, KING OF PRUSSIA. By LORD DOVER. 2 vols. 8vo. with Portrait, 2d edit. 28s. bds.

MEMOIR OF THE LIFE, WRITINGS, AND CORRESPONDENCE OF JAMES CURRIE, M. D., F.R.S., of Liverpool. Edited by his Son, WILLIAM WALLACE CURRIE. 2 vols. 8vo. with Portrait, 28s. bds.

MR. T. F. HUNT'S ARCHITECTURAL WORKS.

HINTS ON PICTURESQUE DOMESTIC ARCHITECTURE; in a Series of Designs for Gate-Lodges, Gamekeepers' Cottages, &c. 4to. 21s. bds.; India Proofs, 31s. 6d.

EXEMPLARS OF TUDOR ARCHITECTURE, adapted to Modern Habitations: with illustrative Details, selected from Ancient Edifices; &c. Royal 4to. with 37 Plates, 2l. 2s.; India Proofs, 3l. 3s.

ARCHITETTURA CAMPESTRE; displayed in LODGES, GARDENERS' HOUSES, &c. in the modern or Italian style. 12 Plates, with descriptive Letter-press, Royal 4to. 21s. bds.; India Proofs, 31s. 6d.

DESIGNS FOR PARSONAGE-HOUSES, ALMS-HOUSES, &c. In Twenty-one Plates, with descriptive Letter-press, in Royal 4to. 21s. bds.; India Proofs, 31s. 6d. bds.

TRAVELS, GEOGRAPHY, TOPOGRAPHY, &c.

ENCYCLOPÆDIA OF GEOGRAPHY; comprising a complete Description of the Earth, Physical, Statistical, Civil, and Political; exhibiting its relation to the Heavenly Bodies, its Physical Structure, the Natural History of each Country, and the Industry, Commerce, Political Institutions, and Civil and Social State of all Nations. By HUGH MURRAY, F.R.S.E. assisted in ASTRONOMY, &c., by Professor WALLACE; in GEOLOGY, &c., by Pro-

fessor JAMESON; in BOTANY, &c., by Professor W. J. HOOKER; in ZOOLOGY, &c., by W. SWAINSON, Esq. With 82 Maps, drawn by Sidney Hall; and upwards of 1000 other Engravings on Wood (from Drawings by Swainson, T. Landseer, Sowerby, &c.), representing remarkable Objects of Nature and Art. 8vo. Half vellum, 3l.; or 12 Parts, 5s. each.

* * * This work may also be had done up in two volumes, if desired.

TRAVELS, GEOGRAPHY, TOPOGRAPHY, &c. CONTINUED.

SIR EDWARD SEAWARD'S NARRATIVE OF HIS SHIPWRECK, AND CONSEQUENT DISCOVERY OF CERTAIN ISLANDS IN THE CARIBBEAN SEA. With a Detail of many Extraordinary and Highly-interesting Events in his Life, from the year 1733 to 1749, as written in his own Diary. Edited by Miss JANE PORTER. 2d edit. 3 vols. small 8vo. 21s. bds.

"The most curious and instructive work that has appeared since the first dawn of discovery."—*Spectator*.

SYSTEM OF UNIVERSAL GEOGRAPHY; with an Index of 44,000 Names. By M. MALTE BRUN. Complete in 9 vols. 8vo. £7. bds.

In the translation now offered to the public, many important corrections and additions have been introduced. The additions to the Description of Great Britain and Ireland are more especially extensive: in fact, this portion of the translation has been entirely re-written, and rather merits the title of an original work. The **GEOGRAPHICAL INDEX** will be found to be the most accurate and comprehensive work of the kind in our language: it is so constructed as to be a Table of Reference to the whole work, while it forms an extensive and useful **GAZETTEER**.

By the same Author,

PRINCIPLES OF MATHEMATICAL, PHYSICAL, AND POLITICAL GEOGRAPHY; 1 vol. 8vo. 2d edit. Improved by the most recent Information, derived from various sources. 15s. boards.

SIDNEY HALL'S GENERAL ATLAS.

Corrected to 1834.

NEW GENERAL ATLAS OF FIFTY-THREE MAPS, printed on drawing elephant paper, with the Divisions and Boundaries carefully coloured; constructed entirely from New Drawings, and engraved by **SIDNEY HALL**. In 17 Parts, any of which may be had separately, 10s. 6d. each.

COMPLETE.

Folded in half, bound in	l. s. d.
cloth	8 18 6
Ditto half-bd. in Russia	9 9 0
In the full size, half-bd. in Russia	10 0 0

GUIDE TO ALL THE WATERING AND SEA-BATHING PLACES, including the SCOTCH Watering Places; with a Description of the Lakes, and a Tour through Wales. In a portable volume, with 94 Views and Maps, price 15s. bound.

EGYPT AND MOHAMMED ALI; or, Travels in the Valley of the Nile: containing a Description of all the remarkable Ruins, and other Monuments of Antiquity, in Egypt and Nubia, from the Mediterranean to the Second Cataract; together with an Account of the Government and Personal Character of the Pasha, his Harems, Palaces, &c.; Sketches of Native Manners; Schools; Manufactories; Excursion to the beautiful Nome of Arsinoë, and Lake Mœris; History of the War in Syria, &c. By JAMES AUGUSTUS ST. JOHN. 2 vols. 8vo. 30s. bds.

EDINBURGH GAZETTEER, OR COMPENDIOUS GEOGRAPHICAL DICTIONARY, 2d Edit. in 1 large vol. 8vo. with an Abstract of the Population Return of 1831, and Maps, 18s. bds.

As an Accompaniment to the above Gazetteer,

NEW GENERAL ATLAS, constructed by A. ARROWSMITH, in 54 Maps, including recent Discoveries. Royal 4to. 36s. hf.-bd.; cold. 2l. 12s. 6d.

ORIGINAL PICTURE OF LONDON. Re-edited by J. BRITTON, F.S.A. &c. With upwards of 100 Views of Public Buildings, Plans, Maps, &c. 27th edit. corrected to present time, 9s. bd.; with Maps only, 6s.

In the full size, hf.-bd. l. s. d.
in Russia, Proofs on

India paper - - - - 14 5 0

"We have taken some pains to examine this new Atlas, and we can safely state our conviction of its general superiority to all other Atlases."—*Sphinx* (conducted by J. S. Buckingham, Esq.).

ALPHABETICAL INDEX of all the NAMES contained in the above ATLAS, with references to the Number of the Maps, and the Latitude and Longitude in which the Places are to be found. Royal 8vo. 21s. in cloth.

MISCELLANEOUS.

SELECTIONS FROM THE EDINBURGH REVIEW; comprising the best Articles in that Journal, from its commencement to the present time; With a Preliminary Dissertation, and Notes. Edited by MAURICE CROSS, Esq., Secretary of the Belfast Historic Society. 4 large vols. 8vo. 3l. 3s. bds.

GENERAL INDEX TO THE EDINBURGH REVIEW, from Vol. XXI. to L. 12s.

INDEX to Vols. I. to XX. 15s. bds.

GREEK TESTAMENT, with English Notes, Critical, Philological, and Exegetical. By the Rev. S. T. BLOOMFIELD, D.D. F.S.A., Vicar of Bisbrooke, Rutland, &c.; 2 closely-printed volumes, 8vo. 36s. bds. Adapted for Academical Students, Candidates for Holy Orders, and Theological Readers generally.

PHILOSOPHICAL CONVERSATIONS; familiarly explaining the Effects and Causes of many Daily Occurrences in Natural Phenomena. By F. C. BAKEWELL. 12mo. 5s. 6d. bds.

SHORT WHIST; its Rise, Progress, and Laws: together with Maxims for Beginners, and Observations to make any one a Whist Player. By Major A****. Fscap. 8vo, with a Frontispiece, price 3s. in fancy cloth.

INSTRUCTIONS TO YOUNG SPORTSMEN in all that relates to Guns and Shooting. By Lieut.-Col. P. HAWKER. With an Abridgment of the New Game Laws. 30 Plates and Wood-cuts. 8vo. 7th Edit. 18s. cloth.

WORKS OF WILLIAM PALEY, D.D. with additional Sermons, &c. and a Life of the Author. By the Rev. E. PALEY, M.A. New Edition. 6 vols. 8vo. 2l. 14s. bds.

SERMONS ON SEVERAL SUBJECTS. By W. PALEY, D.D. 8th Edit., 10s. 6d. bds.

PLAIN INSTRUCTIONS TO EXECUTORS AND ADMINISTRATORS, shewing the Duties incident to the due Performance of their Trusts, &c. 8vo. 4th Edit. enlarged. 8s. bds.

TREATISE ON THE VALUATION OF PROPERTY for the POOR'S RATE. By J. S. BAYLDON. 8vo. new Edit. enlarged, 7s. 6d.

ART OF VALUING RENTS and TILLAGES, &c. By J. S. BAYLDON. 4th Edit. 7s. bds.

SUNDAY LIBRARY: a Selection of SERMONS from Eminent Divines of the Church of England, chiefly within the last half century. With Notes, &c. by the Rev. T. F. DIBDIN, D.D. 6 vols. small 8vo. 6 Portraits. 30s. cloth.

STEEL'S SHIP-MASTER'S ASSISTANT, AND OWNER'S MANUAL; containing the Laws of the Customs—Duties, Navigation Act, Registry of Ships, Smuggling Act, British Fisheries, Insurance, Pilotage, &c. &c. 21st Edition, newly arranged, and corrected to 1833-4, by J. STIKEMAN, Custom-House Agent. The Mathematical Part by Dr. KELLY. 1 large vol. 8vo. 21s. bds.; 22s. 6d. bd.

MEMOIR ON SUSPENSION BRIDGES, with Descriptions; also, Experiments on Bars and Wires, Rules for Computations, &c. By C. S. DREWRY, Civil Engineer. 8vo. with Plates and Cuts, 12s. bds.

LACON; OR, MANY THINGS IN FEW WORDS. By the Rev. C. C. COLTON. 1 vol. 8vo. 12s. cloth, new Edition.

PRINCIPLES OF CHRISTIAN PHILOSOPHY. By JOHN BURNS, M.D. 4th Edit. 7s. bds.

TREATISE ON THE STEAM ENGINE; Historical, Practical, and Descriptive. By J. FAREY, Engineer. 4to. with 25 Plates by Lowry, 5l. 5s. bds.—Vol. II. is in the press.

MEDICAL GUIDE: for the Use of the Clergy, Heads of Families and Seminaries, &c. By R. REECE, M.D. 8vo. 16th Edit., enlarged. 12s. bds.

TAXIDERMY; OR THE ART OF COLLECTING, PREPARING, AND MOUNTING OBJECTS OF NATURAL HISTORY. 12mo. with Plates, 4th Edit. 7s. 6d. bds.

ELEMENTS OF AGRICULTURAL CHEMISTRY. By Sir HUMPHRY DAVY, Bart. 8vo. 4th Edit. 15s. bds.

MR. BRITTON'S ARCHITECTURAL WORKS.

DICTIONARY OF THE ARCHITECTURE AND ARCHÆOLOGY OF THE MIDDLE AGES; including the Words used by Old and Modern Authors, in treating of Architectural and other Antiquities, &c. Part I., with 12, and Part II, with 10 Engravings, by J. LE KEUX. The volume will contain at least 40 Engravings, and be completed in Four Parts. Price, royal 8vo. 12s. each; medium 4to. 21s.; imperial 4to. 31s. 6d. Prospectuses may be had of the Publishers.

By the same Author,

PICTURESQUE ANTIQUITIES OF THE ENGLISH CITIES; containing 60 Engravings by LE KEUX, &c., and 24 Woodcuts of Ancient Buildings, Street Architecture, Bars, Castles, &c., with Historical and Descriptive Accounts of the Subjects, and of the characteristic Features of each City. By JOHN BRITTON, F.S.A., &c. In 1 vol. elegantly half bound, price 71. 4s. medium 4to.; 121. imperial 4to., with Proofs of the Plates.

HISTORY AND ANTIQUITIES OF BATH ABBEY CHURCH, with 10 Engravings, by J. and H. LE KEUX. Royal 8vo. 12s.; med. 4to. 11. 1s.; imp. 4to. 11. 11s. 6d.

ARCHITECTURAL ANTIQUITIES OF GREAT BRITAIN. In 4 vols. med. 4to. 211.; or imp. 4to. 321. half bound.

CHRONOLOGICAL AND HISTORICAL ILLUSTRATIONS OF THE ANCIENT ARCHITECTURE OF GREAT BRITAIN. By J. BRITTON, F.S.A. &c., price 61. 12s. small paper, and 111. large paper.

** To correspond with the "*Architectural Antiquities*," of which this work forms the Fifth Volume.

HISTORY AND ILLUSTRATION OF REDCLIFFE CHURCH, BRISTOL; with 12 Plates. Royal 8vo. 16s.; imp. 4to. 11. 11s. 6d.

CATHEDRAL ANTIQUITIES OF ENGLAND; or, an Historical, Architectural, and Graphical Illustration of the English Cathedral Churches. Price 12s. per No. in med. 4to.; and 11. in imperial 4to.; 52 Nos. are already published. Each size to class with the *Architectural Antiquities of Great Britain*.

The following are complete, and may be had separately, viz.:

Salisbury Cathedral, with 31 Engravings, med. 4to. 31. 3s.; imp. 4to. 51. 5s.

Norwich, with 25 Engravings, med. 4to. 21. 10s.; imp. 4to. 41. 4s.

Lichfield, with 16 Engravings, med. 4to. 11. 18s.; imp. 4to. 31. 3s.

York, with 35 Engravings, med. 4to. 31. 15s.; imp. 4to. 61. 6s.

Winchester, 30 Engravings, med. 4to. 31. 3s.; imp. 4to. 51. 5s.

Oxford, with 11 Engravings, med. 4to. 11. 4s.; imp. 4to. 21. 2s.

Canterbury, with 26 Engravings, med. 4to. 31. 3s.; imp. 4to. 51. 5s.

Exeter, with 22 Engravings, med. 4to. 21. 10s.; imp. 4to. 41. 4s.

Wells, with 24 Engravings, med. 4to. 21. 10s.; imp. 4to. 41. 4s.

Peterborough, with 17 Engravings, med. 4to. 11. 18s.; imp. 4to. 31. 3s.

Gloucester, with 22 Engravings, med. 4to. 21. 10s.; imp. 4to. 41. 4s.

Bristol, with 14 Engravings, med. 4to. 11. 4s.; imp. 4to. 21. 2s.

Hereford, with 16 Engravings, med. 4to. 11. 18s.; imp. 4to. 31. 3s.

Worcester Cathedral will consist of 3 Nos.—Nos. 1 and 2 are published.

** Of the above Works, a small number of copies are printed on super royal folio, with Proofs, and with Proofs and Etchings of the Plates.

WORKS ON BOTANY, GARDENING, &c.

ENGLISH FLORA. By Sir J. E. SMITH, M.D. F.R.S. Pres. Lin. Soc. &c. New Edit., 4 vols. 8vo. 2l. 8s. bds. Of Vol. 5 (Cryptogamia, by Dr. Hooker) the First Part is published.

COMPENDIUM of the **ENGLISH FLORA** of Sir J. E. SMITH. 12mo. 7s. 6d. bds.

The same Work in Latin. 5th Edit. 7s. 6d.

INTRODUCTION to the **STUDY** of **BOTANY.** By Sir J. E. SMITH. 7th edition, corrected; in which the object of the "Grammar of Botany" of Sir J. E. SMITH is combined with that of the "Introduction." By W. JACKSON HOOKER, LL.D. Regius Professor of Botany in Glasgow University. 8vo, with 36 Plates, 16s. in cloth.

GUIDE TO THE ORCHARD AND KITCHEN-GARDEN; or, an Account of the most valuable Fruit and Vegetables cultivated in Great Britain: with Calendars of Work, &c. By G. LINDLEY, C. M. H. S. Edited by J. LINDLEY, LL.D. F.R.S. &c. 1 large volume, 8vo, 16s. bds.

INTRODUCTION to **BOTANY.** By JOHN LINDLEY, LL.D., Professor of Botany, &c. 1 large vol. 8vo. with numerous Plates and Wood Cuts. 18s. cloth.

INTRODUCTION to the **NATURAL SYSTEM** of **BOTANY;** or, a Systematic View of the whole Vegetable Kingdom: together with the Uses of the most important Species in Medicine, the Arts, &c. By J. LINDLEY, LL.D. 8vo. 12s. cloth.

SYNOPSIS of the **BRITISH FLORA**, arranged according to the Natural Orders. By J. LINDLEY, LL.D. 12mo. 10s. 6d. bds.

OUTLINE of the **FIRST PRINCIPLES** of **BOTANY.** By J. LINDLEY, LL.D. With Plates, 3s.

OUTLINE of the **FIRST PRINCIPLES** of **HORTICULTURE.** By J. LINDLEY, LL.D. 2s.

THE MOSSES, AND THE REST OF THE CRYPTOGAMIA: forming Vol. V. of Smith's English Flora, or Vol. II. of Hooker's British Flora. By W. J. HOOKER, LL.D., F.L.S. &c. Part I. (MUSCI, HEPATICÆ, LICHENS, CHARACEÆ, and ALGÆ) 12s. bds. Part II. (FUNGI) will complete the volume.

BRITISH FLORA; comprising the **PHENOGAMOUS** or **FLOWERING PLANTS,** and the **FERNS.** By W. J. HOOKER, LL.D. &c. Royal 12mo. 12s. in cloth.

MUSCOLOGIA BRITANNICA; containing the Mosses of Great Britain and Ireland, systematically arranged and described; with Plates. By W. J. HOOKER, LL.D. F.R.A. and L.S. &c. and T. TAYLOR, M.D. M.R.I.A. and F.L.S. &c. 8vo. 2d Edit. 31s. 6d. plain, and 3l. 3s. col'd plates.

FIRST STEPS to **BOTANY,** intended as Popular Illustrations of the Science, leading to its Study as a Branch of General Education. By JAMES L. DRUMMOND, M.D., Professor of Anatomy and Physiology in the Belfast Academical Institution. 3d edit., 12mo., with cuts, 9s. boards.

"This answers more completely to the proper notion of an Introduction to Botany, than any work we have yet seen."—*Eclectic Review.*

CONVERSATIONS on **BOTANY,** with Twenty-one Engravings. The 8th edit., enlarged, in 1 vol. 12mo., 7s. 6d. plain, or 12s. coloured.

ARRANGEMENT of **BRITISH PLANTS,** according to the latest Improvements of the Linnæan System. By W. WITHERING, M.D. &c. Seventh Edition, including the most recent Discoveries, and numerous Annotations. By W. WITHERING, Esq. LL.D. &c. 4 vols., Plates. 2l. 16s. boards.

TREATISE on the **CULTURE** AND **MANAGEMENT** OF **FRUIT TREES.** By WILLIAM FORSYTH, Gardener to his Majesty. 8vo. 7th Edit. with Plates and Portrait. 13s. bds.

NATURAL HISTORY.

INTRODUCTION TO GEOLOGY; conveying a Practical Knowledge of the Science, and comprising the most important recent discoveries. By R. BAKEWELL. 8vo. 4th Edit. with very considerable Additions, new Plates, and Cuts, 21s.

NEW SYSTEM OF GEOLOGY, in which the great Revolutions of the Earth and Animated Nature are reconciled to Modern Science and to Sacred History. By A. URE, M. D. F.R.S. 8vo. 7 Plates and 51 Cuts, 21s.

INTRODUCTION TO ENTOMOLOGY; or, Elements of the Natural History of Insects. By W. KIRBY, M.A. F.R.S. & L.S., and W. SPENCE, Esq. F.L.S. 4 vols. 8vo. with Plates and Portraits. 5th Edit. 4l. bds.

GEOLOGY OF THE SOUTH-EAST OF ENGLAND. By GIDEON MANTSELL, Esq. F.R.S. F.G.S. 8vo. with 75 Plates, Maps, and Cuts, 21s.

BOOK OF NATURE; being a Popular Illustration of the General Laws and Phenomena of Creation. By J. MASON GOOD, M.D. and F.R.S. 3d Edit. 3 vols. fcap. 8vo. 24s. cloth.

OUTLINE OF THE SMALLER BRITISH BIRDS. By ROBERT A. SLANEY, Esq. M.P. 2d edit. Fcap. 8vo. with Cuts, 4s. 6d. in cloth.

LETTERS TO A YOUNG NATURALIST, ON THE STUDY OF NATURE AND NATURAL THEOLOGY. By J. L. DRUMMOND, M. D. &c. 12mo. with Cuts. 2nd Edition, 7s. 6d. bds.

MANUAL OF THE LAND AND FRESH-WATER SHELLS OF THE BRITISH ISLANDS. By W. TURTON, M.D. Fcap. 8vo. with 150 coloured Figures, 10s. 6d. cloth.

LINNÆAN SYSTEM OF CONCHOLOGY. By J. MAWE. 8vo. 37 Plates. Plain, 21s.; col'd, 2l. 12s. 6d.

A TREATISE ON PRIMARY GEOLOGY; being an Examination, both Theoretical and Practical, of the Older Formations. By H. S. BOASE, M.D., Sec. Rl. Geol. Soc., Cornwall. 8vo. with Wood-cuts, 12s.

A CRITICAL EXAMINATION OF THE FIRST PRINCIPLES OF GEOLOGY. By G. B. GREENOUGH, late President of the Geological Society. 8vo. 9s.

DR. BUTLER'S GEOGRAPHY AND ATLASES.

SKETCH OF ANCIENT AND MODERN GEOGRAPHY, for the Use of Schools. By SAMUEL BUTLER, D.D. F.R.S. Archdeacon of Derby, &c. 8vo. New edit. with important Additions, 9s. bds.

GENERAL ATLAS OF ANCIENT AND MODERN GEOGRAPHY, 44 Coloured Maps, and two Indexes. 1l. 4s. half-bound.

* * The Indexes contain the latitude and longitude; and in that of the Ancient portion the *quantities* are marked.

ATLAS OF MODERN GEOGRAPHY, consisting of 23 Coloured Maps, from a New Set of Plates. 12s. hf-bd.

ATLAS OF ANCIENT GEOGRAPHY, consisting of 21 Coloured Maps, with a complete Accentuated Index. 12s. half-bound.

OUTLINE GEOGRAPHICAL COPY-BOOKS, in 4to.; intended as Practical Exercises on Dr. Butler's Atlases. 4s. each, sewed.

OUTLINE MAPS OF ANCIENT GEOGRAPHY, selected by Dr. Butler from D'Anville's Ancient Atlas. Folio, 10s. 6d.

PRAXIS ON THE LATIN PREPOSITIONS, being an Attempt to illustrate their Origin, Power, and Signification. 4th Edit. 8vo. 7s. 6d. bd.

KEY to the Same. 6s. boards.

POETRY.

POETICAL WORKS BY L. E. L.

THE VENETIAN BRACELET; and other Poems. By L.E.L. Fcap. 8vo. 10s. 6d. bds.

By the same Author,
THE GOLDEN VIOLET, and other Poems. Fcap 8vo. 10s. 6d. bds.

THE TROUBADOUR. 4th Edit Foolsap 8vo. 10s. 6d. bds.

THE IMPROVISATRICE. 6th Edit. Foolsap 8vo. 10s. 6d. bds.

POETICAL WORKS of L.E.L. including the Venetian Bracelet, the Improvisatrice, Troubadour, & Golden Violet. With uniform Vignette Titles. 4 vols. foolscap. 8vo. 2l. 2s. extra boards.

LALLA ROOKH. An Oriental Romance. By T. MOORE, Esq. New Edit. with 4 Engravings, from Paintings by R. WESTALL, R.A. Fcap. 8vo. 14s. bds. Another Edition in 8vo. 14s.; Westall's Illustrations, 8vo. 12s.

By the same Author,
THE LOVES OF THE ANGELS. 5th Edit. 8vo. 9s. bds. WESTALL'S Illustrations of the Same, 5s.

THE EPICUREAN. A Tale. Fcp. 8vo. 5th Edit. 9s. bds.

REMAINS OF HENRY KIRKE WHITE, selected, with prefatory Remarks, by ROBERT SOUTHEY, Esq. The only complete Editions. In 2 vols. 8vo. price 1l. 4s.; and in 1 vol. 24mo. with engraved title and vignettes, price 5s. bds.

RODERICK, the LAST of the GOTHs. A Poem. By ROBERT SOUTHEY, LL.D. &c. 2 vols. 16s.

By the same Author,
THALABA, 2 vols. 16s.; Madoc, 2 vols. 16s.; Curse of Kehama, 2 vols. 14s.; Minor Poems, 3 vols. 18s.; Pilgrimage to Waterloo, 10s. 6d.; Tale of Paraguay, 10s. 6d.; Carmen Triumphale; and Carmen Aulica, for 1814, 5s.

POETICAL WORKS of W. WORDSWORTH, Esq. New Edit. complete in 4 vols. fcap. 8vo. including the contents of the former edition in 5 vols., and some additional Pieces. 24s. bds.

A new Volume is in the Press.

THE EXCURSION, may be had separately. 7s. bds.

JAMES MONTGOMERY'S POETICAL WORKS.

THE PELICAN ISLAND, in 9 cantos; and other Poems. 3d Edit., in foolscap 8vo. price 8s. bds.

THE WANDERER OF SWITZERLAND. 10th Edit. 6s.

SONGS OF ZION, BEING IMITATIONS OF PSALMS. 3d Edit. foolscap 8vo. Price 5s.

THE WORLD BEFORE THE FLOOD. 8th Edit. 9s.

THE WEST INDIES AND OTHER POEMS. 7th Edit. 6s.

GREENLAND, AND OTHER POEMS. 3d Edition, 8s. bds.

POETICAL WORKS, uniform, in 4 vols. fcap. 8vo. 2l. 2s. in cloth.

NOVELS, ROMANCES, &c.

WARLEIGH; or the FATAL OAK. A Legend of Devon. By Mrs. BRAY, Author of "De Foix," "The Talba," &c. 3 vols. post 8vo. 1l. 11s. 6d.

LEGENDS OF THE LIBRARY AT LILIES. By LORD and LADY NUGENT 2 vols. post 8vo. 21s. bds.

"Two delightful volumes."—*Lit. Gazette.*

LIFE AND ADVENTURES OF JOHN MARSTON HALL. By the Author of "DARNLEY," "RICHELIEU," &c. 3 vols. post 8vo. 31s. 6d.

By the same Author,
MARY OF BURGUNDY; or, the Revolt of Ghent. 3 vols. post 8vo. 31s. 6d. bds.

MISCELLANEOUS.

THE STUDY OF MEDICINE. By JOHN MASON GOOD, M.D., F.R.S., &c. 4th edit. Improved from the Author's Manuscripts, and by reference to the latest advances in Physiology, Pathology, and Practice. By SAMUEL COOPER, Professor of Surgery in the University of London. 4 thick vols. 8vo. Price 3l. 3s.

THE DOCTOR, &c. 2 vols. post 8vo. 2ls. in cloth.

* * * A Third Volume is in the Press.

"This work has excited more attention, than any one belonging to the class of novels which has appeared in England for a considerable number of years."—*Quarterly Review*.

LIVES OF ENGLISH FEMALE WORTHIES. By Mrs. JOHN SANDFORD. Vol. I., containing LADY JANE GREY and Mrs. COLONEL HUTCHINSON. Foolscap 8vo. 6s. 6d. cloth.

WOMAN, IN HER SOCIAL AND DOMESTIC CHARACTER. By Mrs. JOHN SANDFORD. Fcap. 8vo. 3d edit. 6s. cloth.

DR. ARNOTT'S ELEMENTS OF PHYSICS, OR NATURAL PHILOSOPHY; written for universal use, in non-technical language. 8vo. 5th Edit.

Vol. I. (2ls.) embraces Dynamics, Mechanics, Hydrostatics, Hydraulics, Pneumatics, Acoustics, and Animal Mechanics; Vol. II. Part 1 (10s. 6d.) contains Heat, and Light or Optics; and Vol. II. Part 2 (completing the work) will contain Electricity, Magnetism, and Astronomy.

PRINCIPLES OF POLITICAL ECONOMY, deduced from the Natural Laws of Social Welfare, and applied to the Present State of Britain. By G. POULETT SCROPE, M.P., F.R.S., &c. small 8vo. 7s. in cloth.

DOMESTIC DUTIES; or, Instructions to Young Married Ladies, on their Households, Conduct, &c. By Mrs. W. PARKES. 12mo. 3d Edit. 10s. 6d. bds.

TREATISE ON ROADS: wherein the right Principles on which Roads should be made are explained and illustrated by the Plans, Specifications, and Contracts made use of by Thomas Telford, Esq. on the Holyhead Road. By the Right Hon. Sir HENRY PARNELL, Bart. 8vo. with Plates, 2ls.

LECTURES ON THE HISTORY AND PRINCIPLES OF PAINTING. By THOMAS PHILLIPS, Esq. R.A., F.R.S., and F.S.A., late Professor of Painting in the Royal Academy. 8vo. 13s. in cloth.

"There is not a passage in them with which a liberally educated gentleman should not be acquainted."—*Literary Gazette*.

LECTURES ON POETRY AND GENERAL LITERATURE, delivered at the Royal Institution, in 1830 and 1831. By JAMES MONTGOMERY, Author of "The World before the Flood," &c. &c. Post 8vo. 10s. 6d. bds.

"The entire volume will to genuine lovers of poetry be replete alike with instruction and delight."—*Eclectic Rev.*

SUBSTANCE OF SEVERAL COURSES OF LECTURES ON MUSIC. By W. CROTCH, Mus. Doc. 8vo. 7s. 6d. bds.

ELEMENTS OF MUSICAL COMPOSITION: comprehending the Rules of Thorough Bass, and the Theory of Tuning. By WILLIAM CROTCH. Mus. Doc., Professor of Music in the University of Oxford. Small 4to. 2d edit. with Plates, 12s. in cloth.

SERIES OF COMPOSITIONS, TO ILLUSTRATE HESIOD. By PROFESSOR FLAXMAN. Folio, 2l. 12s. 6d.

KEITH'S MATHEMATICAL AND GEOGRAPHICAL
WORKS, &c.

ELEMENTS OF PLANE GEOMETRY. By THOMAS KEITH. 3d Edit. 8vo. 10s. 6d. bds.

INTRODUCTION TO THE THEORY AND PRACTICE OF PLANE AND SPHERICAL TRIGONOMETRY. 6th Edit. 8vo. 14s. bds.

NEW TREATISE ON THE USE OF THE GLOBES. Designed for the Instruction of Youth. 12mo. with Plates. New Edition, 6s. 6d. bound.

SYSTEM OF GEOGRAPHY, for the Use of Schools. Illustrated by Maps and Plates, 6s. bound.

MR. LOUDON'S WORKS ON GARDENING, AGRICULTURE, BOTANY, ARCHITECTURE, &c.

ENCYCLOPÆDIA OF GARDENING; comprising the Theory and Practice of Horticulture, Floriculture, Arboriculture, Landscape Gardening, &c. New Edition, with nearly 1000 Engravings on Wood; 2l. 10s. bds. or 20 Parts, 2s. 6d. each.

This ENTIRELY NEW EDITION has been thoroughly revised. The additions are most important, and among these are upwards of 500 entirely new graphic illustrations.

GARDENER'S MAGAZINE, AND REGISTER OF RURAL AND DOMESTIC IMPROVEMENT. With Engravings on Wood. Nos. 1 to 58 are published. Vols. I. to X. may be had in bds. price 9l. 2s. 6d.

* A MONTHLY SERIES of this work was commenced on May 1, at 1s. 6d. per number.

MAGAZINE OF NATURAL HISTORY, AND JOURNAL OF ZOOLOGY, BOTANY, MINERALOGY, GEOLOGY, AND METEOROLOGY. With Engravings on wood. Nos. 1 to 45, are published, 3s. 6d. each.

To be continued every Month, at 2s. Vols. I. to VII. in bds. price 7l. 11s.

HORTUS BRITANNICUS: a Catalogue of all the Plants Indigenous to, Cultivated in, or Introduced into Britain. Part I.: the Linnæan Arrangement, in which nearly 30,000 Species are enumerated; with an Introduction, &c. Part II.; the Jusseuean Arrangement of nearly 4000 Genera; with an Introduction, &c. 8vo. 2nd edit. with 1st addit. Suppt. 23s. 6d. Suppt. separately, 2s. 6d.

ENCYCLOPÆDIA OF AGRICULTURE; comprising the Theory and Practice of the Valuation, Transfer, Laying-out, Improvement, and Management of Landed Property; the Cultivation and Economy of the Animal and Vegetable Productions of Agriculture; a General History of Agriculture; &c. &c. 1 large vol. 8vo. 2d edition, greatly improved, with upwards of 1100 Engravings on Wood, 2l. 10s. bds.

No pains have been spared to render this edition as perfect as possible.

THE FIRST additional SUPPLEMENT to the above; being Notices of all the principal Improvements in Great Britain and other countries, since the publication of the Second Edition, in January, 1831. In 8vo. 5s. sewed.

ENCYCLOPÆDIA of PLANTS; comprising the Description, Specific Character, Culture, History, &c. of all the Plants Indigenous to, Cultivated in, or Introduced into Britain. 1 large vol. 8vo., with nearly 10,000 Engravings on Wood, 4l. 14s. 6d. bds.

ENCYCLOPÆDIA of COTTAGE, FARM, AND VILLA ARCHITECTURE; illustrated by Designs of Cottages, Farm-Houses, Farmeries, Villas, Country Inns, Public Houses, Parochial Schools, &c. including their interior Finishing and Furniture, accompanied by Critical Remarks, &c. Containing about 1100 pages of Letterpress, and upwards of 2000 Engravings on Wood. In 12 parts, 5s. each; or in 1 large vol. 3l. bds.

INDEX.

	Page		Page
Aikin's Biographical Works	2	Lee's Baron Cuvier	3
" Select British Poets	1	Legends of the Library at Lilles	9
Annual Biography	3	L. E. L.'s Poetical Works	9
Arnott's Physics	10	Life of John Marston Hall	9
		Lindley's Botanical Works	7
		Loudon's Gardening, Agricultural, and Architectural Works	11
Bakewell's Geology	8		
" Philosophical Conversations	5	McCulloch's Dictionary	1
Bayle on Rates and Rents	5	Mackintosh's History of the Revolution of England	3
Bloomfield's Greek Testament	5	Malte Brun's Geography	4
" Thucydides	2	" Principles of Mathematical, Physical, and Political Geography	4
Boase on Geology	3	Mantell's Geology	8
Bowdler's Family Shakspeare	1	Mary of Burgundy	9
" Gibbon's Roman Empire	1	Mawe's Conchology	8
Britton's Architectural Works	6	Montgomery's Poetical Works	9
Burder's Oriental Customs	1	" Lectures	10
Burn's Christian Philosophy	5	Moore's Life of Fitzgerald	3
Butler's Geography and Atlases	8	" Poetical Works	9
		Murray's Geography	3
Colton's Lacon	5		
Conversations on Botany	7	Opie's Lays for the Dead	1
" Chemistry	1		
" Natural Philosophy	1	Paley's Works	5
" Political Economy	1	Parke's Domestic Duties	10
" Vegetable Physiology	1	Parnell on Roads	10
Coxe's Biographical Works	2	Phillips on Painting	10
Crotch's Lectures, &c.	10	Picture of London	4
Currie's Memoirs	3	Plain Instructions to Executors	5
Davy's Agricultural Chemistry	5		
Doctor, The	10	Roby's Traditions of Lancashire	7
Dover's Frederic the Great	3	Reece's Medical Guide	5
Drewry on Suspension Bridges	5		
Drummond's Botany	7		
" Young Naturalist	8	Sandford's Female Worthies	10
Dunlop's History of Fiction	3	" Woman, &c.	10
" Roman Literature	3	Scrope's Political Economy	10
		Seaward's Narrative	4
Edinburgh Gazetteer and Atlas	4	Short Whist	5
" Review, Index to	5	Slaney's British Birds	8
" " Selections from	5	Smith's Botanical Works	7
		Smith's (Sir J. E.) Memoirs	3
Farey on Steam Engines	5	Southey's British Poets	1
Flaxman's Illustrations to Hesiod	10	" Poetical Works	9
Forsyth on Fruit Trees	7	" Remains of H. K. White	9
		Steel's Shipmaster's Assistant	5
Good's Book of Nature	8	St. John's Egypt	4
" Study of Medicine	10	Sunday Library, (Dibdin's)	5
Guide to Watering Places	4		
Greenough's Principles of Geology	8	Taxidermy	5
		Turner's Historical Works	2
Hall's Atlas and Index	4	" Sacred History	2
Hawker on Shooting	5	Turton's British Shells	8
Hooker's Botanical Works	7		
Hopkins's Political Economy	1	Ure's Geology	8
Hunt's Architectural Works	3		
Keith's Mathematical and Geographical Works	11	Warleigh, by Mrs. Bray	9
Kirby and Spence's Entomology	8	Warner's Literary Recollections	5
		Withering's British Plants	7
		Wood on Railroads	1
		Wordsworth's Poetical Works	9



